

**DECLARATION OF PERFORMANCE**

DoP №: **14TG/PDRS-1/20**

**1. Unique identification code of the product type:**

Standing steam panel IRON CLICK, Prime Click; Duo Snap; Uni Line

**2. Intended use/es:**

Outdoor and indoor roof and wall covers. Roof cladding of the buildings

**3. Manufacturer:**

BUDMAT Bogdan Więcek,  
Otolińska 25, 09-407 Płock, Polska  
Manufacturing address: Otolińska 25, 09-407 Płock, Polska

**4. Authorised representative:** N/A.

**5. Systems of assessment and verification of constancy of performance:**

Systems of assessment 3 – Reaction to fire

Systems of assessment 4 – Other characteristic

**6a. Harmonised standard:**

EN 14782:2006 Self supporting metal sheets for roofs, outdoor and indoor cladding.  
Characteristics and requirements of the product

Notified body. Building Research Institute 1488

**6b. European technical characteristic:** N/A

**Budmat. Bogdan Więcek**

ul. Otolińska 25, 09-407 Płock

NIP 774 001 50 83, REGON 610023049

+48 502 197 197

budmat.com




ISO 9001  
ISO 14001  
Zarządzanie Jakością  
i Środowiskiem

## 7. Declared performance of the product:

Lp.	Essential characteristics	Performance			Harmonised technical specification
1	Mechanical resistance	Concentrated force resistance 1,2 kN Support spacing - L=400 mm Negative			EN 14782:2006
2	Waterproof quality	Products that don't have perforations (as damages) are waterproof and impermeable to steam and air.			
3	Change of dimensions	Steell: $12 \times 10^{-6} K^{-1}$			
4	Dangerous substances	None			
5	Reaction to fire	Thickness $\leq 25\mu m$	Thickness > $25\mu m$	Anti-condensation coating	
		A1	A2-s2,d0	A2-s1,d0	
6	Fire resistance	B <sub>ROOF (t1)</sub> , B <sub>ROOF(t2)</sub> , B <sub>ROOF (t3)</sub>		NPD	
7	Durability	<p>- sheets with zinc coating (Z 100) of 100g/m<sup>2</sup> applicable inside the buildings in the areas of corrosion category C1</p> <p>- sheets with zinc coating of 100g/m<sup>2</sup> and covered with polyester organic coatings of thicknesses 12, 15, 18μm applicable inside the buildings in the areas of corrosion category C1, C2</p> <p>-sheets with zinc coating of 200g/m<sup>2</sup> or aluminium-zinc alloy (AZ 150) of 150g/m<sup>2</sup> - applicable inside the buildings in the areas of corrosion category C1, C2</p> <p>- sheets with zinc coating of 200g/m<sup>2</sup> and covered with polyester organic coatings up to thickness SP25μm - applicable inside the buildings in the areas of corrosion category C1, C2</p> <p>- sheets with zinc coating of 275g/m<sup>2</sup> or aluminium-zinc alloy (AZ 150) of 150g/m<sup>2</sup> covered with polyester organic coatings of thicknesses 12, 15, 18μm - in the areas of corrosion category C1, C2 – for elevation</p> <p>-sheets with zinc coating of 200g/m<sup>2</sup> and polyester organic coatings of thickness 25μm or higher - in the areas of corrosion category C1, C2, C3 for elevation</p>			

### Budmat. Bogdan Więcek

ul. Otolińska 25, 09-407 Płock  
NIP 774 001 50 83, REGON 610023049  
+48 502 197 197  
budmat.com



ISO 9001  
ISO 14001  
Zarządzanie Jakością  
i Środowiskiem

		-sheets with zinc coating of 275g/m <sup>2</sup> or aluminium-zinc alloy (AZ 150) of 150g/m <sup>2</sup> covered with polyester organic coatings of thicknesses 25µm, 30µm, 35µm in the areas of corrosion category C1, C2, C3 - sheets with coating Z 350 or AZ 185g/m <sup>2</sup> – applicable outdoor in the areas of corrosion category C1, C2, C3	
--	--	--	--

**8. Proper technical documentation or special technical documentation: N/A**

The performance of the product identified above is in conformity with the set of declared performance/s.

This declaration of performance is issued according to decree(UE) 305/2011 under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

**Mariusz Madejek**  
Dyrektor Produkcji  
Dachy i Elewacje




**Budmat.**  
Dachy Modułowe  
**Mariusz Madejek**  
Dyrektor Produkcji Dachy i Elewacje

(imię i nazwisko oraz stanowisko)

**Płock, 23-04-2020**  
(miejsce i data wydania)

**Budmat. Bogdan Więcek**  
ul. Otolińska 25, 09-407 Płock  
NIP 774 001 50 83, REGON 610023049  
+48 502 197 197  
budmat.com



ISO 9001  
ISO 14001  
Zarządzanie Jakością  
i Środowiskiem